



General Advisory

PowerManage v. 4.8



Date: Wednesday, March 10, 2021

Region: EMEA, APAC

Product: PowerManage

Brand: All brands

All-in-one receiver, technical management center, and interactive service platform.

Overview

We are pleased to announce the release of version 4.8 of the PowerManage Platform. This version adds full support of PowerSeries Pro v.1.3 and several system improvements.

Features, Benefits & Value

Feature	Benefit	Value
Additional zone association for PIR CAM devices	Up to 8 sensors can be associated with a PIR Cam zone and trigger video on alarm on PowerSeries Pro	False alarm reduction and better assessment of the incident
PIR CAM images on system test	Video clip displayed after system test is generated on PowerSeries Pro / PowerSeries Neo panel	Improved installation and maintenance quality
LTE modem OTA upgrade on PowerMaster systems	Support for over-the-air firmware upgrade of PowerMaster LTE modem	Reduction of truck roll costs
Interactive users management	System administrator can now add, suspend, delete and reset the password of interactive users and associate them with the panel account	Less time spent on customer service and technical support. Improved user experience.
Search engine enhancements	Searching for panels can now be based on any phrase entered in "Customer info" field	Save operator's time in their day to day job
Active communication channel control	Detailed information about active communication channels on PowerSeries Neo / PowerSeries Pro	Less time spent on technical support.
RSM diagnostics	Remote System Maintenance feature is now	Less time spent on technical support.

	available for PowerSeries Neo / PowerSeries Pro	Reduction of truck roll costs.
GSM RSSI statistics	Check statistics of GSM signal strength on PowerMaster panel	Less time spent on technical support.
Panel screen enhancements	Panel name column added	Save operator's time in their day to day job
System settings enhancements	Authorization and rotation settings now available through WEB UI	Save system administrator's time in their day to day job
Temperature / light enhancements	Temperature and light monitoring can now be set per group	Save cellular communications costs

Compatibility

PowerMaster 10/30/33: v. 16, v. 17, v. 18.x, v. 19.2, v. 19.3, v.19.4, v. 20.2

PowerMaster 360/360R: v. 19.3, v. 19.4, v. 20.2

PowerLink: v. x.x.42, v. x.x.46, v. x.x.58, v. x.x.72, v. x.x.89, v. 7.x.92.4, v. 7.x.92.6, v. x.x.93.22, x.x.94.14

PowerSeries Neo: v. 1.11, v. 1.14, v. 1.2, v. 1.31, v. 1.33, v. 1.35, v. 1.36

PowerSeries Neo communicator: v. 4.11, v. 5.01, v. 5.02, v. 5.03, v. 5.11, v. 5.21, v. 5.3, v. 5.41, v. 5.42

PowerSeries Pro: v. 1.02, v. 1.11, v. 1.20, v. 1.30

Availability

Please contact your local sales rep for more information.

Contact Information

Order Entry	Contact your local sales rep. or email markvisonic@tycosp.com
Sales	Contact your local sales rep. or email markvisonic@tycosp.com
Technical Support	EMEA - Local: +31 475 352 722 EMEA - Toll Free: 800-22558926 APAC - Local Direct Dial Numbers: India: +91-80-4199-0994 China: +86-21-6163-8644 Australia: +61-28-317-1322 Oceania and New Zealand: +64-9942-4004 Local Toll Free Numbers: Australia: 1-800-580-946 China: 400-6711-528 or email: intrusion-support@jci.com
Product Manager	Neil Evans Neil.evans@jci.com



Johnson Controls

5757 N. Green Bay Avenue | P.O. Box 591 Milwaukee, WI 53201 | 441-524-1200